

INDEX MAPS.

T.25N. R.10E 2<sup>nd</sup> Mer.

	478	477	477	477	476	476
479	6	5	4	3 21.	2	1 476
479	7	8	9	10	11	12 476
479	18	17	16	15	14	13 475
478	19	20	21	22	23	24 475
478	30	29	28	27	26 480	25 475
478	31 30	32	33	34	35 480	36 474
	474	474	473	473	473	473

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

Township 25 North, Range 10 East, 2<sup>nd</sup> Mer. And <sup>473</sup>

South Boundary

Var. 6° 30' E.

West on S. Side of sec. 36.

32.90 a Beech 18 in. dia.

40.00 Set q. sec. post from which

a Beech 15 in. dia. bears N 84 E 36 lb. dist. 8

a Do 18 " " " S 77 W 35 " "

49.50 a W. Oak 12 " "

80.00 Set post cor. to Secs. 35 & 36 from which

an Oak 12 in. dia. bears N 51 E 29 lb. dist. 8

a Do 12 " " " S 25 E 19 " "

Level land. Timber Beech. Oak. Ash &c.

West on S. Side of Sec. 35.

40.00 Set q. sec. post from which

a W. Oak 24 in. dia. bears West.

Post set in Swamp.

80.00 Set post cor. to Secs. 34 & 35 from which

an Elm 12 in. dia. bears S 89 W 2 lb. dist. 8

a Do 8 " " " N 75 E 18 " "

Level land. Beech. Oak. Elm. Spruce &c.

West on S. Side of Sec. 34.

35.34 a Beech 12 in. dia.

40.00 Set q. sec. post from which

a Buckeye 6 in. dia. bears N 30 E 5 lb. dist. 8

an Oak 12 " " " N 83 W 22 " "

49.75 a Creek 30 ft. wide course N. E.

64.50 a Beech 12 in. dia.

80.00 Set post cor. to Secs. 33 & 34 from which

a Beech 12 in. dia. bears N 80 E 18 lb. dist. 8

a Do 12 " " " S 76 W 16 " "

Land &c. same as on the last line.

West on S. Side of Sec. 33.

5.36 a Beech 15 in. dia.



40.00 Set g. sec. post from which  
 an Elm 12 in. dia. bears S 84 E 93 W. dist. 8  
 a Do 10 " " " S 57 W 10 " "  
 80.00 Set post cor. to Secs. 32 & 33 from which  
 an Ash 8 in. dia. bears S 58 E 35 W. dist. 8  
 a Do 8 " " " North 38 " "  
 Sand &c. same as on the last line.

West on E. Side of Sec. 32.

25.55 a Beech 18 in. dia.

40.00 Set g. sec. post from which  
 an Elm 18 in. dia. bears N 30 E 61 W. dist. 8  
 a Do 14 " " " S 2 E 92 " "  
 80.00 Set post cor. to Secs. 31 & 32 from which  
 a Maple 15 in. dia. bears S 59 E 93 W. dist. 8  
 a Do 12 " " " S 36 W 9 " "  
 Sand &c. same as on the last line

West on E. Side of Sec. 31.

40.00 Set g. sec. post from which  
 a Beech 14 in. dia. bears S 15 W 12 W. dist. 8  
 a Do 12 " " " N 32 E 45 " "  
 76.50 To Iron Corner.

Low wet Land, Timber as before.  
 March 29<sup>th</sup> 1890.

### East Boundary

Var. 6° 30' E.

North on E. Side of Sec. 36.

24.20 a Beech 12 in. dia.

40.00 Set g. sec. post from which  
 an Elm 36 in. dia. bears N 33 W 17 W. dist. 8  
 a Hickory 12 " " " N 31 W 34 " "

59.80 an Oak 14 " "

80.00 Set post cor. to Secs. 35 & 36 from which  
 a Beech 14 in. dia. bears S 25 W 24 W. dist. 8.

T 25 N. R. 10 E. 2<sup>nd</sup> Mer. Indiana <sup>475</sup>

a Beech 10 in. dia. bears N 49 E 14 W. dist.  
over good farming land. Timber Beech  
Sugar. Ash &c. long<sup>th</sup> & fine

North on E. side of sec. 25.

32.50 a Creek 40 W. wide Course N.E.

40.00 Set q. sec. Post from which

a Beech 16 in. dia. bears S 33 W 20 W. dist. &

a Do 30 " " " N 43 E 43 " "

80.00 Set post cor. to sec. 24 & 25 from which

a Beech 10 in. dia. bears S 69 W 9 W. dist. &

a Hickory 8 " " " S 82 E 21 " "

Land, Timber &c. same as before

North on E. side of sec. 24

20.00 a Creek 30 W. wide Course N.W.

25.40 a Beech 14 in. dia.

40.00 Set q. sec. Post from which

a Sugar 14 in. dia. bears N 30 E 17 W. dist. &

a Do 18 " " " S 59 W 34 " "

80.00 Set post cor. to sec. 13 & 24 from which

a Hickory 8 in. dia. bears S 17 W 10 W. dist. &

a Do 10 " " " N 3 W 20 " "

Land, Timber &c. same as on the last line.

North on E. side of sec. 13.

\* 7.00 Salamanic River 100 W. wide Course N.W.

33.50 an Oak 20 in. dia.

40.00 Set q. sec. Post from which

a Beech 13 in. dia. bears S 3 W 32 W. dist. &

an Elm 7 " " " N 7 E 12 " "

47.10 a Brook 3 W. wide Course S.W.

56.54 a Beech 24 in. dia.

80.00 Set post cor. to sec. 12 & 13 from which

a Hickory 13 in. dia. bears S 44 W 10 W. dist. &

an Ash 20 " " " N 47 E 7 " "

\* See note at close of meanders

476 T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Sand. Timber &c. Same as on the last line.

North on E. Side of sec. 12.

37.10 an Ash 14 in. dia.

40.00 Set g. sec. post from which

a Beech 10 in. dia. bears S 35 W 9 W. dist. 4

a Slo 11 " " " N 6 E 28 " "

80.00 Set post Cor. to Sect. 14 & 12 from which

a Sugar 13 in. dia. bears S 32 W 8 W. dist. 4

a Beech 14 " " " N 34 W 19 " "

Sand. Timber &c. Same as on the last line.

North on E. Side of sec. 1

40.00 Set g. sec. post from which

a Beech 8 in. dia. bears S 30 W 21 W. dist. 4

an Elm 16 " " " N 76 E 8 " "

58.30 a Beech 10 " " "

78.70 Set post Cor. to Townships 25 & 26 North,  
Ranges 10 & 11 East. 481 E. of temp. Post.

an Ash 9 in. dia. bears S 51 E 12 W. dist. 4

a Slo 8 " " " S 18 E 13 " "

Sand. Timber &c. Same as on last line.

North Boundary

Var. 6° 30' E.

West on S. Side of sec. 36 T. 26 N. R. 10 E.

40.00 Set g. sec. post from which

an Ash 10 in. dia. bears S 51 E 7 W. dist. 4

a Slo 6 " " " N 33 W 7 " "

80.00 Set post Cor. to Sect. 35 & 36 from which

an Elm 10 in. dia. bears S 68 E 18 W. dist. 4

a R. Oak 8 " " " S 88 W 16 " "

That Sand. Timber Elm, Maple &c.

West on S. Side of sec. 35 T. 26 N. R. 10 E.

40.00 Set g. sec. post from which

T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indian 477

a Beech 18 in. dia. base N 35 E 13 ft. diam.  
 a Do 10 " " " S 53 E 9 " "  
 80.00 Set post cnt. to Sec. 34 & 35 from which  
 a Beech 12 in. dia. base N 67 W 25 ft. diam.  
 a Do 12 " " " S 60 E 11 " "  
 Land rich. Beech, Sugar, Ash, Spruce &

West on S. Side of sec. 34 T. 26 N. R. 10 E.  
 40.00 Set q. sec. post from which  
 a Beech 18 in. dia. base N 34 E 28 ft. diam.  
 a Do 18 " " " S 73 W 20 " "  
 73.00 a Creek 25 ft. wide course S. W.  
 80.00 Set post cnt. to Sec. 33 & 34 from which  
 a Beech 18 in. dia. base S 23 E 10 ft. diam.  
 a Do 34 " " " N 78 W 14 " "  
 Land. Timber &c. Same as on the last line.

West on S. Side of sec. 33 T. 26 N. R. 10 E.  
 40.00 Set q. sec. post from which  
 an Elm 34 in. dia. base N 60 E 10 ft. diam.  
 a Hickory 10 " " " S 52 W 5 " "  
 53.50 a Creek 50 ft. wide course N. E.  
 62.00 Salamanic River 200 ft. wide course N. W.  
 80.00 Set post cnt. to Sec. 32 & 33 from which  
 a Beech 34 in. dia. base S 86 W 34 ft. diam.  
 an Ironwood 8 " " " S 81 E 9 " "  
 Land. Timber &c. Same as on the last line.

West on S. Side of sec. 32 T. 26 N. R. 10 E.  
 40.00 Set q. sec. post from which  
 a Beech 12 in. dia. base N 31 W 38 ft. diam.  
 a Do 34 " " " S 61 E 33 " "  
 40.25 a Branch 15 ft. wide course N. W.  
 47.00 a Creek 75 " " " N. E.  
 80.00 Set post cnt. to Sec. 31 & 32 from which  
 a W. Oak 30 in. dia. base S 54 E 20 ft. diam.



478 T. 25 N. - R. 10 E, 2<sup>nd</sup> Mer. Indiana

an Ash 8 in dia. bears 62 N 10 W. dist. V  
Land, Timber &c. same as on last line

West on E. side of sec. 31 T. 26 N. R. 10 E.  
40.00 Set q. sec. post from which

a Beech 12 in dia. bears 167 N 7 W. dist. X  
a Buckeye 12 " " " 176 E 27 " "

76.50 To Township corner

March 31<sup>st</sup> 1820.

### West Boundary

North on E. side of sec. 36 T. 25 N. R. 9 E.  
40.00 Set q. sec. post from which

a Maple 18 in dia. bears 120 E 24 W. dist. X  
a Do 10 " " " 140 E 14 " "

52.65 a W. Oak 36 " "

80.00 Set post on to sec. 35 & 36 from which

an Ash 24 in dia. bears 15 N 18 W. dist. X  
an Elm 12 " " " 150 N 6 " "

Land rich. Timber Beech. Sugar &c.

North on E. side of sec. 25 T. 25 N. R. 9 E.  
40.00 Set q. sec. post from which

a W. Oak 24 in dia. bears 159 E 19 W. dist. X  
an Ash 10 " " " 18 N 17 " "

80.00 Set post on to sec. 24 & 25 from which

an Elm 12 in dia. bears 15 E. 9 W. dist. X  
a Do 8 " " " 159 N 7 " "

Land & Timber same as on last line.

North on E. side of sec. 24 T. 25 N. R. 9 E.  
40.00 Set q. sec. post from which

a W. Oak 12 in dia. bears 45 N 6 W. dist. X  
a Do 12 " " " 66 E 6 " "

80.00 Set post on to sec. 13 & 24 from which



T. 25 N. R. 10 E. 2<sup>nd</sup> Mer. Indiana 479

a Lyncamore 24 in. dia. bears S 50 W 60 W. dist. X  
a W. Oak 10 " " " N 80 E 25 " "  
Sand, Timber &c. same as on the last line.

North on E. side of sec. 13 T. 25 N. R. 9 E.

40.00 Set gr. sec. post from which  
a W. Oak 10 in. dia. bears S 81 W 7 W. dist. X  
a Do 12 " " " S 36 E 18 " "  
80.00 Set post cor. to sec. 12 & 13 from which  
a Beech 18 in. dia. bears N 45 W 15 W. dist. X  
an Ironwood 8 " " " S 60 E 20 " "  
Sand & Timber same as on last line.

North on E. side of sec. 12 T. 25 N. R. 9 E.

40.00 Set gr. sec. post from which  
a Beech 18 in. dia. bears S 88 E 9 W. dist. X  
an Ironwood 8 " " " N 68 W 10 " "  
75.00 a Creek 75 W. wide course N. E.  
78.00 Same " " " " N. W.  
80.00 Set post cor. to sec. 1 & 12 from which  
a Beech 36 in. dia. bears S 38 E 16 W. dist. X  
a Hickory 24 " " " N 18 E 15 " "  
Sand & Timber same as on last line.

North on E. side of sec. 1 T. 25 N. R. 9 E.

2.00 Same Creek 75 W. wide course N. E.  
40.00 Set gr. sec. post from which  
a Oak 10 in. dia. bears S 46 W 15 W. dist. X  
a Do 8 " " " N 34 W 8 " "  
77.00 Set post cor. to Townships 25 & 26 North,  
Range 9 & 10 East from which  
an Elm 24 in. dia. bears S 73 E 32 W. dist. X  
an Oak 10 " " " S 46 W 14 " "  
Sand & Timber same as on last line.  
March 30<sup>th</sup> 1830 Surveyed by  
John M. Donald S. S.

480 T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

Subdivision

North Between Secs. 35 & 36

12.84 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Grey Ash 16 in. dia. bears N 29 E 57 W. dist. 19  
an Elm 12 " " " S 30 W 19 "

65.70 a Sugar 24 " "

80.00 set post cor. to Secs. 25, 26, 35 & 36 from which

a Beech 24 in. dia. bears N 31 E 52 W. dist. 19  
an Ironwood 10 " " " S 49 W 23 "

Land level low & swampy. Timber Beech  
Sugar, Ash, Elm, Hickory & undergrowth  
Prickly Ash, Hornbeam, Ironwood &c

East on Random between Secs. 25 & 36.

40.00 set temp. g. sec. post.

80.06 Intersect E. Bound. line 50 W. S. of post.  
Land. Timber & growth. Same as on last line.

West correct between Secs. 25 & 36.

9.00 a Hickory 14 in. dia.

40.53 set g. sec. post at average dist. from which

a Beech 20 in. dia. bears S 44 W 39 W. dist. 19  
a Spruce 10 " " " N 47 E 28 "

63.40 a W. Elm 24 " "

80.06 To Sec. Corner

North Between Secs. 25 & 36

12.00 a Beech 28 in. dia.

40.00 set g. sec. post from which

a Grey Ash 8 in. dia. bears S 23 E 30 W. dist. 19  
a Beech 12 " " " N 23 W 20 "

67.00 a Sugar 16 " "

76.80 a stream 10 W. wide corner N 20 W.

80.00 set post cor. to Secs. 23, 24, 25 & 26 from which



**INDEX MAPS.**  
**T. 25N, R. 10E. 2<sup>nd</sup> Mer.**

Meaders 24

6	23	5	17	4	12	3	8	2	3	1
<del>23</del>		<del>23</del>		<del>16</del>		<del>12</del>		<del>8</del>		<del>3</del>
7	20	8	16	9	12	10	7	11	3	12
<del>22</del>		<del>21</del>		<del>15</del>		<del>11</del>		<del>7</del>		<del>2</del>
18	21	17	15	16	11	15	6	14	2	13
<del>20</del>		<del>20</del>		<del>15</del>		<del>10</del>		<del>6</del>		<del>1</del>
19	20	20	14	21	10	22	5	23	1	24
<del>19</del>		<del>19</del>		<del>14</del>		<del>10</del>		<del>5</del>		<del>1</del>
30	18	29	14	28	9	27	5	26		25
<del>18</del>		<del>18</del>		<del>13</del>		<del>9</del>		<del>4</del>		
31	17	32	13	33	8	34	4	35		36

Beginning in Volume 20

**T. 26N, R. 10E. 2<sup>nd</sup> Mer.**

Meaders 61

	36		35		35		35		34		34
37	6	60	5	54	4	50	3	46	2	41	1 34
	<del>60</del>		<del>60</del>		<del>53</del>		<del>49</del>		<del>45</del>	<del>41</del>	
37	7	59	8	53	9	49	10	45	11	41	12 33
	<del>59</del>		<del>59</del>		<del>53</del>		<del>49</del>		<del>44</del>		<del>40</del>
37	18	58	17	52	16	48	15	44	14	40	13 33
	<del>58</del>		<del>57</del>		<del>52</del>		<del>48</del>		<del>44</del>		<del>39</del>
36	19	57	20	52	21	47	22	43	23	39	24 33
	<del>56</del>		<del>56</del>		<del>51</del>		<del>47</del>		<del>43</del>		<del>39</del>
36	30	55	29	51	28	47	27	43	26	38	25 33
	<del>55</del>		<del>54</del>		<del>50</del>		<del>46</del>		<del>42</del>		<del>38</del>
36	31	54	32	50	33	46	34	42	35	38	36 32
	<del>32</del>		<del>32</del>		<del>31</del>		<del>31</del>		<del>31</del>		<del>31</del>

⌚ The figures on the lines refer to the page.

1

( T 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

at Beech 20 in. dia. bears N 69 W 18 1/2 W. dist. 8  
a Do 22 " " " S 82 E 6 " "  
Land level 2<sup>nd</sup> rate. Beech. Sugar. Ash.  
Elm. Hickory. Syc. Ironwood. Spice 8.

East on Random between Secs. 24 & 25.

40.00 set temp. gr. sec. post.

80.10 Intersect E. Bound. line 140 W. S. of post.

Land, Timber &c. same as on the last line.

West correct between Secs. 24 & 25.

14.63 a Maple 22 in. dia.

40.05 set gr. sec. post at average dist. from which

a Sugar 12 in. dia. bears N 33 E 41 W. dist. 8

a Do 24 " " " S 77 W 24 " "

63.73 a Grey ash 12 " "

80.10 To Sec. Corner.

May 13<sup>th</sup> 1893.

( North Between Secs. 23 & 24

9.50 a W. Elm 30 in. dia.

40.00 set gr. sec. post from which

a Beech 24 in. dia. bears N 72 E 14 W. dist. 8

a Do 14 " " " S 45 W 32 " "

76.08 a W. Oak 40 " "

80.00 set post Cn. to Secs. 13, 14, 23 & 24 p. which

an Ironwood 8 in. dia. bears N 60 E 5 W. dist. 8

a Beech 20 " " " N 60 W 28 " "

Land level 2<sup>nd</sup> rate. Timber Beech. Sugar. Ash.  
Elm. Oak. Hickory &c. ung<sup>th</sup> Ironwood 8.

East on Random between Secs. 13 & 24.

39.20 a Stream 20 W. wide Course N 10 W.

40.00 set temp. gr. sec. post

79.50 Intersect E. Bound. line 215 W. S. of post.

Land level good 2<sup>nd</sup> rate. Timber Beech. Sugar. Ash.  
Buckeye. Elm &c. ung<sup>th</sup> Spice 8.



T. 25 N. - R. 10 E. 9<sup>th</sup> Mer. Indiana

West corner between Secs. 13 &amp; 14

18.10 a W. Elm 30 in. dia.

39.75 Set gr. sec. post on E. bank of a stream, from which  
a Buckeye 14 in. dia. bears N 74 E 12 W. dist. 8  
a Hornbeam 5 " " " S 35 W 3 " "

60.60 a Beech 16 " "

79.50 To Sec. Corner.

North Between Secs. 13 &amp; 14

15.45 Set post on Salamanca River from which  
an Elm 21 in. dia. bears S 62 E - W. dist. 8  
a Lycamore 48 " " " N 57 W 40 " "16.98 Over River & set post on N. bank from which  
an Elm 12 in. dia. bears S 89 E 38 W. dist. 8  
a Do 20 " " " N 58 W 9 " "

28.54 a Beech 20 " "

40.00 Set gr. sec. post from which  
a Beech 40 in. dia. bears S 44 E 40 W. dist. 8  
a Do 20 " " " N 43 W 25 " "

54.00 Enter a wet Prairie

62.80 Leave do

64.89 a W. Oak 20 in. dia.

80.00 Set post Co. to Secs. 11, 12, 13 & 14 from which  
a Maple 14 in. dia. bears S 18 E 42 W. dist. 8  
a B. Oak 20 " " " N 53 W 12 " "Land level 1<sup>st</sup> rate. for 1<sup>st</sup> 1/2 mile. Last 1/2 2<sup>nd</sup>  
rate. Timber Beech Sugar Ash Oak Hickory,  
Buckeye &c. ungt. Spice. Sassafras &c.

East on Paulden between Secs. 12 &amp; 13.

44.00 Set temp. gr. sec. post.

57.50 Enter Prairie wet &amp; boggy

72.50 Leave do

79.00 Intersect E. Bound. line 369 W. S. of post.

Land level 2<sup>nd</sup> rate. W. B. Oak. Hickory,  
Beech &c. ungt. Sassafras, Plum &c.

3

T 25 N. 40 E. 2<sup>nd</sup> Mer. Indiana.

West Corner between Secs 12 & 13

39.50 Set g: sec. post at average dist. from which  
 a N. Elm 36 in. dia. bears S 57 1/2 W 5 1/2 dist. &  
 a Beech 12 " " " S 69 E 33 " "  
 79.00 To Sec. Corner.

North Between Secs 11 & 12.

17.71 a Beech 12 in. dia  
 40.00 Set g: sec. post from which  
 a Beech 12 in. dia. bears S 86 E 8 1/2 dist. &  
 a Hickory 18 " " " S 38 W 24 " "  
 68.47 a Beech 20 " "  
 72.75 a Stream 15 ft. wide course N.  
 80.00 Set post cor. to Secs 1, 2, 11 & 12 from which  
 a Gray ash 20 in. dia. bears S 69 E 31 1/2 dist. &  
 a Beech 16 " " " N 46 W 56 " "  
 Sand land low & wet. Beech. Sugar. Ash. Elm,  
 Oak. Hickory. Ironwood &c.

East on Random between Secs 1 & 12:

40.00 Set temp. g: sec. post.  
 78.66 Intersect E Bound. line 412 ft. E. of post.  
 Sand land 2<sup>nd</sup> rate. Timber same as before

West Corner between Secs 1 & 12.

11.07 a N. Elm 18 in. dia.  
 39.33 Set g: sec. post at average dist. from which  
 a Hickory 5 in. dia. bears S 27 W 14 1/2 dist. &  
 a Beech 18 " " " N 3 W 11 " "  
 61.52 a Do 30 " "  
 78.66 To Sec. Corner.

North Between Secs 1 & 2.

13.57 a Beech 11 in. dia.  
 40.00 Set g: sec. post from which  
 a Beech 11 in. dia. bears S 16 E 27 1/2 dist. &

T 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 22 in. dia. bears N 11 W 28 W. dist.  
 60.67 a W. Oak 12 " "  
 64.50 Enter a thick Willow Swamp.  
 81.00 Leave do  
 86.44 Intersect N. Bound. line 254 W. E. of post  
 where set post cor. to sec. 142 from which  
 an Elm 10 in. dia. bears S 8 E 9 W. dist. X  
 a Do 12 " " " N 4 W 36 " "  
 1<sup>st</sup> 1/2 mile rolling. Last 1/2 level. Timber Beech,  
 Sugar Ash. Elm. &c. ung<sup>d</sup>. Spruce.

North Between Secs. 34 & 35.

20.45 a B. Ash 18 in. dia.  
 40.00 Set gr. sec. post from which  
 a Beech 16 in. dia. bears S 40 E 23 W. dist. X  
 a Do 11 " " " N 89 1/2 W 20 " "  
 65.00 a Do 24 " "  
 80.00 Set post cor. to Secs. 26-27, 34 & 35 from which  
 a Beech 8 in. dia. bears N 89 W 18 W. dist. X  
 a Do 8 " " " N 66 E 15 " "  
 Land level 3<sup>rd</sup> rate. Swampy. Timber Beech,  
 Oak. Hickory &c. ung<sup>d</sup>. Dogwood. Ironwood &c.

East on Random between Secs. 26 & 35.

40.00 Set temp. gr. sec. post.  
 79.95 Intersect N. line 45 W. E. of post.  
 Land level 4<sup>th</sup> rate. Timber &c. as before.

West corner between Secs. 26 & 35

21.30 a Beech 10 in. dia.  
 39.97 Set gr. sec. post at angle dist. from which  
 a Beech 26 in. dia. bears S 5 W 21 W. dist. X  
 a Do 26 " " " N 47 E 10 " "  
 61.04 a Gray Oak 7 " " (ash)  
 79.95 To Sec. Corner.

5

T. 25 N. R. 10 E. 2<sup>nd</sup> Mer. Indiana

North Between Secs. 26 & 27.

23.00 a Lycamore 36 in. dia.

35.00 Leonard's Creek 50 ft. wide corner N.E. deep & slow.

40.00 Set g. sec. post from which  
a Beech 9 in. dia. bears N 70 W 24 ft. dist. &  
a Do 9 " " " S 81 E 36 " "

60.30 a Hickory 10 " "

80.00 Set post cor. to Secs. 22, 23, 26 & 27 from which  
a W. Oak 16 in. dia. bears N 51 W 16 ft. dist. &  
a G. Ash 8 " " " S 69 E 31 " "  
Sand barrow 3<sup>rd</sup> rate. Timber Oak. Beech.  
ash. Hickory &c. and <sup>the</sup> Ironwood &c.

East on Randam between Secs. 23 & 26.

40.00 Set temp. g. sec. post.

41.50 Leonard's Creek 50 ft. wide corner N. brick & deep.

60.00 a Theaw 12 ft. wide corner N.

80.03 Intersect W. line 37 ft. N. of post.

Sand flat wet 3<sup>rd</sup> rate. Timber Beech. Oak.  
Ash. Hickory &c. and <sup>the</sup> Spruce.

West corner between Secs. 23 & 26.

21.29 an Ironwood 8 in. dia.

40.01 Set g. sec. post at average dist. from which  
a W. Oak 24 in. dia. bears N 77 W 8 ft. dist. &  
a Beech 8 " " " S 30 W 7 " "

66.53 a Do 34 " "

80.03 To Sec. Corner.

North Between Secs. 22 & 23.

10.00 Enter a Swamp.

30.00 Leave do

41.00 Set g. sec. post from which  
a R. Oak 14 in. dia. bears N 16 E 14 ft. dist. &  
a W. Oak 40 " " " S 49 W 41 " "  
50.69 a Hickory 9 " "



# T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

53.50 Enter a Wet Prairie

80.00 Set a post 3 1/2 feet deep in the Western margin of a pond. Cr. to Sec. 14, 15, 22 & 23 - an Ash 13 in. dia. bears S 38 W 65 1/2 W. dist. Land loose swampy. Timber Oak. Hickory fr. Aug. 1/2 Maple. Swamp bushes fr.

East on Random between Sec. 14 & 23 -

10.00 Eastern extremity of pond.

15.00 Leave the Prairie

40.00 Set temp. gr. sec. post.

59.16 Leonardo Creek 50 ft. wide Course N. W. deep & rapid

80.26 Intersect N. line 100 ft. N. of post - Land swampy 3<sup>rd</sup> rate. Beech. Oak. Ash. Elm fr. Aug. 1/2 Ironwood. Hickory. Pass apas fr.

West Correct between Sec. 14 & 23.

18.65 a B. Walnut 24 in. dia.

40.13 Set gr. sec. post at average dist. fr. which a Hornbeam 6 in. dia. bears S 87 E 35 W. dist. 8 a W. Oak 26 " " " S 15 W 11 " "

80.26 To Sec. Corner.

North Between Sec. 14 & 15.

5.00 Leave the Prairie & enter Swamp.

13.50 Leave Swamp.

22.14 a W. Elm 18 in. dia.

34.50 a Stream 15 ft. wide Course E.

40.00 Set gr. sec. post from which a G. Ash 6 in. dia. bears S 46 E 10 W. dist. 8 a Do 10 " " " N 39 W 21 " "

63.47 a Beech 14 " "

80.00 Set post Cr. to Sec. 10, 11, 14 & 15 from which an Ironwood 4 in. dia. bears S 53 E 18 W. dist. 8 a Beech 8 " " " N 61 W 18 " " Land 1 1/2 miles up. Last 1/2 dry. Beech. Oak.



7  
T 95 N. 76.10 E. 2<sup>nd</sup> Mer. Indiana.

Wickery, Ash &c. Ground. Swamp bushes &c.

East on Random between Secs. 11 & 14.

40.00 set temp. of sec. post.

50.93 Salamanic River 150 W. wide Course N.

80.70 Intersect. Md. line 140 W. N. of post.

Land rolling 2<sup>nd</sup> & 3<sup>rd</sup> etc. Timber Beech. Ash.

Oak. Wickery &c. and the Spruce &c.

West correct between Secs. 11 & 14.

37.17 set post on E. bank of River from which  
a W. Ash 10 in. dia. bears N 35 W 8 W. dist. &  
an Ground 8 " " " S 35 E 7 " "

39.72 over River & set post on W. side from which  
a Buckeye 11 in. dia. bears N 35 E 6 W. dist. &  
a Hackberry 12 " " " S 40 W 13 " "

40.35 set g. sec. post arranged dist. from which  
a Beech 14 in. dia. bears N 13 W 36 W. dist. &  
a Do 18 " " " S 4 E 5 " "

80.70 To Sec. Corner.

North between Secs. 10 & 11

32.50 a Beech 24 in. dia.

40.00 set g. sec. post from which  
an Ground 6 in. dia. bears N 71 E 34 W. dist. &  
a Wickery 8 " " " S 83 W 31 " "

53.00 set post on Salamanic River 150 W. wide N. W.  
a Buckeye 6 in. dia. bears N 71 E 1 W. dist. &  
a Do 14 " " " N 69 W 36 " "

57.33 over River & set post on N. bank from which  
a Hackberry 5 in. dia. bears N 70 E 57 W. dist. &  
a W. Oak 40 " " " N 3 W 34 " "

76.00 a Stream 10 W. wide Course S. W.

80.00 set post ca. to Secs. 2, 3, 10 & 11 from which  
a Beech 14 in. dia. bears N 52 W 36 W. dist. &  
a Do 20 " " " S 42 E 36 " "

# T 25 N. W. 10 E. 2<sup>nd</sup> Mer. Indiana

Sand rolling 2<sup>nd</sup> rate. Timber Hickory. Ash.  
Beech. Elm &c. ung<sup>d</sup>. Iron wood.

East on Random between Secs. 2 & 11.

1.50 a Stream 10 ft. wide Course S.

40.00 Set temp. gr. sec. post.

80.60 Intersect Mt. line 107 ft. N. of post.

Sand rolling 2<sup>nd</sup> rate. Timber as before.

West correct between Secs. 2 & 11

40.30 Set gr. sec. post at average dist. from which  
a W. Oak 18 in. dia. bears N 137 W 50 ft. dir. &  
an Iron wood 4 " " " S 12 E 9 "

80.60 To Sec. Corner.

North Between Secs. 2 & 3.

26.75 a Bur Oak 12 in. dia.

36.85 Enter a Swamp -

30.00 Leave do

40.00 Set gr. sec. post from which

a W. Oak 24 in. dia. bears N 12 E 19 ft. dir. &

a B. Oak 30 " " " S 36 W 34 "

41.00 Enter a Swamp.

47.00 Leave do

61.81 a Hickory 12 in. dia.

83.18 Intersect St. Bound. line 179 ft. E. of post.

where set post Cor. to Secs. 2 & 3 from which

a Beech 18 in. dia. bears N 79 E 39 ft. dir. &

an Iron wood 5 " " " S 36 W 33 "

Sand lent poor 2<sup>nd</sup> rate. Timber Elm & Hickory.  
Ash &c. ung<sup>d</sup>. Spruce &c.

North Between Secs. 33 & 34.

18.58 a Beech 16 in. dia.

40.00 Set gr. sec. post from which

a B. Oak 18 in. dia. bears S 58 E 13 ft. dir. &

T. 25 N. R. 10 E. 2<sup>nd</sup> Mer. Indiana. 9

a Beech 16 in. dia. bears N 13 W 34 th. dist.  
 53.20 a Stream 10 th. wide Course E.  
 62.70 a Beech 24 in. dia.  
 50.00 Set post Cor. to Secs. 27, 28, 33 & 34 p. which  
 a W. Oak 34 in. dia. bears N 36 E 19 th. dist. X  
 a S. Elm 5 " " " S 4 W 36 " "  
 Land level 3<sup>rd</sup> rate, Timber Beech. Oak. Ash,  
 Elm &c. ung<sup>th</sup> Hornwood. Spice &c.

---

East on Random between Secs. 27 & 34.  
 6.75 Enter a wet prairie  
 22.00 Leave do  
 40.00 Set temp. gr. sec. post.  
 63.53 Leonard's Creek 45 th. wide Course N. deep & <sup>rapid</sup>  
 79.92 Enter sec. M.S. line 81 th. S. of post -  
 Land in places rollings 3<sup>rd</sup> rate. Beech. Oak,  
 Hickory. Ash &c. Spice. Hornwood &c.

---

West correct between Secs. 27 & 34.  
 21.54 a Beech 10 in. dia.  
 39.96 Set gr. sec. post at arroyo dist. from which  
 a Beech 18 in. dia. bears N 45 E 16 th. dist. X  
 a S. 12 " " " S 80 W 22 " "  
 79.92 To Sec. Corner.

---

North Between Secs. 27 & 28.  
 30.98 a Beech 24 in. dia.  
 40.00 Set gr. sec. post from which  
 a W. Oak 16 in. dia. bears N 76 E 25 th. dist. X  
 a S. Ash 7 " " " S 3 W 21 " "  
 50.00 Enter a Swamp very wet & bushy.  
 70.00 Leave do  
 80.00 Set post in S.W. Margin of Prairie Cor. to  
 Secs. 21, 22, 27 & 28 from which  
 a S. Ash 6 in. dia. bears N 65 W 17 th. dist. X  
 a S. 6 " " " N 48 E 6 " "

# T 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

Sand level & wet 3<sup>rd</sup> rate. Timber Oak. Ash.  
Beech. Hickory &c. Ironwood. Swamp bushes &c.

East on Random between Secs. 22 & 27.

14.50 Leave wet prairie

40.00 Set temp. g. sec. post.

79.88 Intersect Md. line 63 th. S. of post.

Sand low wet 3<sup>rd</sup> rate. Timber &c. as before

West corner between Secs. 22 & 27.

24.60 a Beech 24 in. dia.

39.94 Set g. sec. post at average dist. from which  
a Beech 7 in. dia. bears N 38 E 4 th. dist. &  
a Do 7 " " " N 38 W 16 " "

79.88 To Sec. corner.

North between Secs. 21 & 22.

32.41 a H. Oak 22 in. dia.

40.00 Set g. sec. post from which

a H. Oak 38 in. dia. bears S 52 E 38 th. dist. &

a Do 38 " " " N 59 W 42 " "

42.50 Enter wet prairie & swamp.

58.00 Leave do do

69.97 a B. Walnut 9 in. dia.

80.00 Set post cor. to Secs. 15. N 21 & 22 from which

an Aspen 5 in. dia. bears S 53 W 7 th. dist. &

a B. Ash 4 " " " N 68 E 50 " "

Sand low wet 3<sup>rd</sup> rate. Timber Beech. Oak,  
Ash, Hickory, aspen &c. Ironwood. Hazel &c.

East on Random between Secs. 15 & 22

12.00 Enter a prairie, part dry & arable

32.00 Leave do

51.00 Enter do do do do

79.71 Intersect Md. line 56 th. E. of post.

Sand level 3<sup>rd</sup> rate. Timber Oak. Ash. Hickory &c.



11

T 25 N. - R. 10 E, 2<sup>nd</sup> Mer. Indiana

along the Ash. Hazel. Sassafras &c  
May 19<sup>th</sup> 1823.

---

West Corner between Secs. 15 & 22

39.85 $\frac{1}{2}$  Set g. sec. post at average dist. from which  
a Hickory 7 in. dia. bears S 47 N 37 W. dist. 4  
a W. Oak 30 " " " N 45 E 23 " "

79.71 To Sec. Corner.

---

North Between Secs. 15 & 16.

31.79 a W. Oak 8 in. dia.

40.00 Set g. sec. post from which  
a Cherry 5 in. dia. bears N 57 N 32 W. dist. 4  
a B. Oak 12 " " " S 62 E 33 " "

41.50 Enter a Swamp & prairie cut & boggy.

53.50 Leave do do

72.70 a W. Ash 16 in. dia.

80.00 Set post Cor. to Secs. 9, 10, 15 & 16 from which  
a Beech 18 in. dia. bears South 4 W. dist. 4  
a W. Elm 16 " " " N 2 E 53 " "  
Land low & swampy. 3 $\frac{1}{2}$ % rate Timber Beech.  
Oak. Ash. Hickory &c. Ironwood Hazel &c.

---

East on Random between Secs. 10 & 15.

40.00 Set temp. g. sec. post.

79.70 Intersect W. line 46 W. S. of post.

Land level & not 3 $\frac{1}{2}$ % rate. Timber as before.

---

West Corner between Secs. 10 & 15.

22.50 a Sugar 18 in. dia.

39.85 Set g. sec. post at average dist. from which  
a Beech 18 in. dia. bears N 87 N 35 W. dist. 4  
a Do 36 " " " S 2 E 41 " "

64.83 a W. Oak 8 " "

79.70 To Sec. Corner.

---



# T. 35 N. R. 10 E. 2<sup>nd</sup> Mer. Indiana

North Between Sect. 9 & 10.

35.70 a W. Oak 12 in. dia.

40.00 Set g. sec. post from which  
a W. Oak 8 in. dia. bears N 70 E 7 1/2 W. dist. 8  
a Do " " " N 85 W 7 " "

40.50 a Spring, Course West.

41.32 a stream 20 ft. wide Course N.E. deep & rapid

59.18 To Salamanic River 200 ft. wide Course N 75 W.

Strong Current. - Set post from which  
a Sugar 10 in. dia. bears N 51 W 5 1/2 W. dist. 8  
a Hackberry 3 1/2 " " " N 83 E 20 " "

62.01 over River set post on side from which  
a Hickory 30 in. dia. bears N 35 W 9 1/2 W. dist. 8  
a Buckeye 12 " " " N 77 E 11 " "

80.00 Set post on to Sect. 3, 4, 9 & 10 from which  
a Beech 20 in. dia. bears N 34 E 30 1/2 W. dist. 8  
a Do 18 " " " N 54 W 18 " "

Sand level 2<sup>nd</sup> rate. Ash, Beech, Oak, Spruce &c.

Post on Random between Sect. 3 & 10.

40.00 Set temp. g. sec. post.

79.75 Intersect W. line 32 ft. S. of post.

Sand rolling 2<sup>nd</sup> rate. Buck. Oak. Oak. Spruce &c.

Post correct between Sect. 3 & 10.

30.00 a Beech 12 in. dia.

39.87 Set g. sec. post at average dist. from which  
a Beech 18 in. dia. bears N 31 W 23 1/2 W. dist. 8  
a Do 12 " " " N 3 W 19 " "

59.75 a Buckeye 5 " "

79.75 To Sec. Corner.

North Between Sect. 3 & 4.

23.35 a Red Oak 12 in. dia.

40.00 Set g. sec. post from which  
a Hickory 12 in. dia. bears N 41 E 21 1/2 W. dist. 8

# T. 25 N. R. 10 E. 2<sup>nd</sup> Mer. Indiana

13.

- a Beech 18 in. dia. bears N 88 W 37 W. dist.  
 56.00 a Spring branch 5 W. wide.  
 68.23 a Hickory 20 in. dia.  
 73.00 a Creek 20 W. wide cross S. W.  
 81.25 Intersect N. Bound. line 583 W. E. of Post.  
 when set Post Cr. to Sec. 3 & 4 from which  
 a W. Oak 12 in. dia. bears N 27 W 25 W. dist. X  
 a Plum 6 " " " N 74 E 13 " "  
 Sand level 2<sup>nd</sup> rate. Ash. Beech. Oak. Elm &c.

## North Return Sec. 32 & 33 -

- 14.28 a Beech 20 in. dia.  
 38.50 Enter a Prairie wet & boggy.  
 40.00 Set gr. sec. post from which  
 a B. Ash 10 in. dia. bears S 43 E 98 W. dist. X  
 a Do 18 " " " N 32 W 52 " "  
 65.50 Leave the Prairie  
 66.04 a L. Ash 12 in. dia.  
 70.00 Enter a Swamp  
 74.50 Leave do  
 80.00 Set Post Cr. to Sec. 28. 29. 32 & 33 from which  
 a Hickory 24 in. dia. bears N 79 E 41 W. dist. X  
 a Do 12 " " " S 75 W 11 " "  
 Sand level. low swampy. Beech. Ash. Oak,  
 Hickory & Willow Alder. Beech &c.

## East on Random between Sec. 28 & 33 -

- 40.00 Set temp. gr. sec. post.  
 80.40 Intersect M. line 17 W. S. of post  
 Sand level & swampy. Beech. Oak. Hickory,  
 Ash &c. Ironwood. Beech. Hickory &c.

## West correct between Sec. 28 & 33 -

- 8.76 a Beech 20 in. dia.  
 40.20 Set gr. sec. post at average dist. from which  
 a L. Ash. 10 in. dia. bears S 16 E 23 W. dist. X

T. 25 N. R. 10 E. 2<sup>nd</sup> Mer. Indiana

a B. Ash 10 in. dia. bears N 30 E 22 W. dist.  
 61.00 a Beech 20 " "  
 80.40 To Sec. Corner.

North Between Sect. 28 & 29.

11.66 a Hickory 18 in. dia.  
 40.00 Set of sec. post from which  
 a B. Oak 10 in. dia. bears S 84 E 37 W. dist. 8  
 a B. Oak 18 " " " N 50 W 9 " "  
 63.65 a W. Elm 24 " "  
 80.00 Set post cor. to Sect. 20, 21, 28 & 29 from which  
 a Hickory 10 in. dia. bears N 6 E 19 W. dist. 8  
 a B. Oak 40 " " " South 5 " "  
 Land low & swampy. 3<sup>rd</sup> rate. Beech. Sugar.  
 Ash. Oak. Hickory &c. Ironwood. P. Ash &c.

East on Random between Sect. 21 & 28.

40.00 Set temp. of sec. post  
 80.20 Intersect M. S. line 57 W. S. of post.  
 Land & Timber same as on the last line.

West corner between Sect. 21 & 28.

16.35 a W. Oak 30 in. dia.  
 40.10 Set of sec. post at average dist. from which  
 a Chop. Ash 10 in. dia. bears S 37 E 23 W. dist. 8  
 a Spruce 20 " " " N 78 W 35 " "  
 62.91 a Beech 12 " "  
 80.20 To sec. corner.

North Between Sect. 20 & 21

10.17 a B. Ash 12 in. dia.  
 25.00 Enter Prairie very wet & boggy & full of grass.  
 40.00 Set of sec. post in water 3 ft deep. no mound.  
 30.00 Leave the Prairie  
 31.00 a B. Ash 18 in. dia.  
 80.00 Set post cor. to Sect. 16, 17, 20 & 21 from which

15.

T 25 N. - 76.10 E, 2<sup>nd</sup> Mer. Indiana

a B. Oak 30 in. dia. bears N 51 E 15 W. dist. 8  
a Beech 12 " " " S 59 W 29 " "  
Land level low & wet. Timber Beech. Ash. Elm.  
Aspen fr. ung<sup>d</sup>. Ironwood. Willow fr.

---

East on Random between Secs 16 & 21.

40.00 Set temp. g. sec. post.

80.00 Intersect W. line 107 W. S. of post.

Land level 2<sup>nd</sup> rate. Beech. Oak. Ash. Elm.  
Hickory fr. Ironwood. Sassafras. Hazel fr.  
May 19<sup>th</sup> 1853.

---

West corner between Secs 16 & 21.

21.73 a W. Oak 18 in. dia.

40.00 Set g. sec. post at average dist. fr. which  
a B. Oak 10 in. dia. bears N 46 E 23 W. dist. 8  
a B. Oak 18 " " " S 14 W 25 " "

67.22 a Beech 12 " "

80.10 To Sec. Corner.

---

North between Secs 16 & 17.

9.10 a Honey Locust 18 in. dia.

10.00 a Stream 25 W. wide course N. E.

40.00 Set g. sec. post from which

a Beech 12 in. dia. bears S 72 E 19 W. dist. 8

a Do 10 " " " N 65 W 11 " "

67.63 a Lyrus 24 " "

69.00 a Stream 25 W. wide course N. E.

80.00 Set post cor. to Secs 8 & 9. 16 & 17 from which

a Beech 30 in. dia. bears N 60 E 8 W. dist. 8

a W. Oak 40 " " " S 31 W 32 " "

Land level good 2<sup>nd</sup> rate. Timber Beech. Sugar.  
Ash. Elm. Oak. Hickory. Lyrus fr. ending fr.  
Spice. Ironwood fr.

---

East on Random between Secs 9 & 16.



T 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

40.00 Set temp. g. sec. post.

79.77 Intersect N & S. line 147 1/2 m. S. of post.  
Land. Timber &c. same as on the last line.

West correct between Secs. 9 &amp; 16.

10.97 a Beech 14 in. dia.

39.88 Set g. sec. post at cross, dist. from which  
an Ironwood in. dia. bears S 41 1/2 W 11 1/2 m. dist. &  
a Beech 2 1/2 m. N 36 W 16 m

65.21 a Hickory 20 " "

79.77 To Sec. corner.

North Between Secs. 8 &amp; 9.

4.50 a Stream 20 1/2 m. wide cross N.E.

18.63 a Beech 14 in. dia.

23.00 a Stream 10 1/2 m. wide cross E.

40.00 Set g. sec. post from which

a Beech 8 in. dia. bears N 73 W 14 1/2 m. dist. &amp;

a Do 20 " " " S 41 E 37 m

63.50 a Bull Oak 2 1/2 " "

80.00 At post cor. to Secs. 4, 5, 8 &amp; 9 from which

a B. Ash 8 in. dia. bears S 37 W 31 1/2 m. dist. &amp;

a Dogwood 8 " " " N 58 E 10 " "

Land level good 2<sup>nd</sup> rate, Timber Beech, Sugar,  
Ash, Elm, Oak, Hickory &c. any # species.

East on Randam between Secs. 4 &amp; 9.

40.00 Set temp. g. sec. post.

56.50 To Salamanic River 175 1/2 m. wide cross N.W.

58.25 Over the River.

79.20 Intersect M. line 130 1/2 m. S. of post.

Land rolling 2<sup>nd</sup> rate, Oak, Elm, Beech,  
Hickory, Spruce, Ironwood &c.

West correct between Secs. 4 &amp; 9.

20.56 Set post on E. side of River from which

17

T 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.

- a Hackberry 14 in. dia. bears N 6 E 7 W. dist. 8  
 a Do 20 " " " S 9 W 19 " "  
 22.71 over line & set post on N. side from which  
 a Beech 14 in. dia. bears N 45 W 9 W. dist. 8  
 a W. Oak 11 " " " S 32 E 13 " "  
 39.60 set g. sec. post at average dist. from which  
 a Buckeye 11 in. dia. bears N 45 E 10 W. dist. 8  
 a Hornbeam 9 " " " S 48 W 16 " "  
 79.20 To sec. corner.

---

North & Return Sec. 4 & 5.

- 18.75 a Beech 12 in. dia.  
 40.00 set g. sec. post from which  
 a B. Oak 8 in. dia. bears N 76 E 5 W. dist. 8  
 a Do 10 " " " S 82 W 37 " "  
 63.50 a Beech 12 " "  
 81.40 Intersect N. Bound. line 590 W. E. of post.  
 where set post con. to sec. 4 & 5 from which  
 a Beech 12 in. dia. bears South 10 W. dist. 8  
 a Do 18 " " " N 5 E 44 " "  
 Land lent good 2<sup>nd</sup> rate. Timber Beech, Sugar,  
 Ash, Hickory &c. Aug<sup>th</sup> Spruce &c  
 May 20<sup>th</sup> 1823.

---

North & Return Sec. 31 & 32.

- 16.03 a Beech 18 in. dia.  
 40.00 set g. sec. post from which  
 a Hickory 12 in. dia. bears S 60 E 11 W. dist. 8  
 a B. Oak 24 " " " N 77 W 37 " "  
 64.12 a B. Oak 18 " "  
 80.00 set post con. to sec. 29. 30. 31 & 32 p. which  
 on Ironwood 6 in. dia. bears N 77 E 9 W. dist. 8  
 a B. Oak 12 " " " N 63 W 37 " "  
 Land. lent 2<sup>nd</sup> rate. Timber Beech, Ash, Oak,  
 Hickory, Elm &c. Aug<sup>th</sup> Spruce, Ironwood &c.
-

# T 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

East with Randow between Secs. 29 & 32.

3.53 Enter a prairie wet & boggy.

18.00 Leave do

40.00 Set temp. g. sec. post.

80.53 Intersect M.S. line 67 W. N. of post.

Land level wet 3<sup>rd</sup> date. Timber Beech.

Oak, Ash & Ironwood. P. Oak &.

West Corral between Secs. 29 & 32.

9.96 a W. Oak 24 in. dia.

40.36 Set g. sec. post at array chip from which  
a Beech 16 in. dia. bears 87<sup>th</sup> E 53<sup>rd</sup> W. dist. &

a Do 12 " " " N 35 W 3 "

59.10 a B. Oak 14 " "

80.53 To sec. corner.

West Between Secs. 30 & 31.

26.08 a Beech 11 in. dia.

40.00 Set g. sec. post from which

a B. Oak 20 in. dia. bears N 5 E 90 W. dist. &

a Beech 16 " " " S 8 E 30 "

60.50 a Hickory 14 " "

77.53 Intersect W. Bound. line 83 W. S. of post.

where set post cor. to Secs. 30 & 31 (p. which

a holly cut 14 in. dia. bears N 30 W 10 W. dist. &

a B. Oak 18 " " " S 30 E 33 "

Land level, and almost one continued alter-  
nation of swamps, wet prairies & ponds.  
Timber Beech, Ash & among the swamp trees.

North Between Secs. 29 & 30.

14.40 a B. Oak 14 in. dia.

40.00 Set g. sec. post from which

a Cherry 10 in. dia. bears N 45 E 23 W. dist. &

a W. Oak 10 " " " S 62 W 31 " "

74.05 a Beech 18 " "

19

T. 25 N. R. 10 E. 2<sup>nd</sup> Mer. Indiana.

80.00 Set post cor. to sec. 19, 20, 29 & 30 from which  
 a B. Oak 6 in. dia. bears S 9 E 14 W. dist. 7  
 a Do 10 " " " N 45 W 14 " "  
 Land level & soil 3<sup>rd</sup> rate. Timber Beech, Oak,  
 Hickory, Ash, Elm &c. Plum thickets

---

East on Random between sec. 20 & 29.

40.00 Set temp. g. sec. post.

80.29 Intersect M. line 92 W. S. of post.

Land level 3<sup>rd</sup> rate. Timber Beech, Oak,  
 Ash, Elm &c. ung<sup>th</sup> Greenwood, P. Oak &c

---

West corner between sec. 20 & 29.

22.16 a W. Oak 20 in. dia.

40.14 Set g. sec. post at average dist. from which  
 a L. camwood 24 in. dia. bears N 68 W 36 W. dist. 7  
 a B. Oak 16 " " " N 62 E 44 " "

64.75 a W. Oak 8 " "

80.29 To sec. corner.

---

West Between sec. 19 & 30.

.25 Enter a Pond.

3.00 Leave do

12.00 Enter a do

14.00 Leave do

21.23 a Hickory 18 in. dia.

40.00 Set g. sec. post from which  
 a Sugar 14 in. dia. bears N 64 E 25 W. dist. 7  
 a Beech 16 " " " West 13 " "

44.00 Enter South end of a wet prairie

50.00 Leave Prairie

63.66 a B. Oak 18 in. dia.

78.11 Intersect N. B. line 445 W. S. of post.  
 when set post cor. to sec. 19 & 30 from which  
 a B. Oak 10 in. dia. bears S 70 E 33 W. dist. 7  
 an ash 14 " " " N 11 W 18 " "



T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.

Sand low + wet. Timber Oak, Ash, Beech, -  
Hickory &c. Aug<sup>th</sup> P. Ash &c.

North between Secs. 19 + 20.

18.66 a Swamp Oak 4 in. dia.

40.00 Set g. sec. post from which  
an Ironwood 7 in. dia. bears N 35 W 8 W. dist. 1/2  
a Beech 34 " " " N 45 E 35 " "

66.19 a Elm Oak 34 " "

80.00 Set post cor. to Secs. 17, 18, 19 + 20 from which  
a W. Oak 34 in. dia. bears S 30 W 53 W. dist. 1/2  
a Beech 10 " " " N 15 E 14 " "

Sand level 2<sup>nd</sup> rate. Timber Beech Oak, Hickory,  
Elm, Ash &c. Aug<sup>th</sup> P. Ash &c.

East on Random between Secs. 17 + 20.

18.27 Enter a Swamp

24.00 Leave do

38.00 Enter do

40.00 Set temp. g. sec. post.

44.75 Leave Swamp.

77.00 a Stream 10 W. wide Cross N.

80.27 Intersect N. line 70 W. N. of post.

Sand level 3<sup>rd</sup> rate. Timber Beech Oak, Ash, Elm &c.  
Aug<sup>th</sup> Ironwood, P. Ash &c.

West corner between Secs. 17 + 20.

13.36 a W. Ash 22 in. dia.

40.13 Set g. sec. post at approx. dist. from which  
a B. Oak 14 in. dia. bears S 43 W 38 W. dist.  
a Do 26 " " " N 32 E 7 " "

59.94 a Willow 12 " "

80.27 To Sec. Corner.

May 21<sup>st</sup> 1823 -

West between Secs. 18 + 19

22.03 a Hickory 26 in. dia.

21

T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.

- 38.00 Enter a wet prairie  $2\frac{1}{2}$  feet under water.  
 40.00 Set g. sec. post from which  
     a Willow 5 in. dia. bears S 75 E 95 W. dist. X  
     a Do 7 " " " N 34 W 36 " "  
 48.50 Leave the prairie  
 50.00 Enter a Swamp.  
 58.50 a W. Elm 11 in. dia.  
 67.00 Dry land.  
 79.65 Intersect N. Bound. line 213 W. S. of post.  
     where set post con. to Sect. 18 & 19 from which  
     a Hickory 12 in. dia. bears N 74 W 23 W. dist. X  
     a Do 11 " " " East 7 " "  
     Sand level & principally under water from 4  
     to 30 inches. Timber Oak, Hickory, Maple,  
     Elm &c. very few P. Oak &c.

North Return to Sect. 17 & 18.

- 14.44 a W. Oak 18 in. dia.  
 20.00 Enter a wet prairie  
 26.00 Leave do  
 40.00 Set g. sec. post from which  
     an Elm 10 in. dia. bears N 68 E 35 W. dist. X  
     a W. Oak 12 " " " S 43 W 24 " "  
 44.00 Enter a wet prairie  
 56.50 Leave do  
 68.68 a W. Elm 20 in. dia.  
 80.00 Set post con. to Sect. 7, 8, 17 & 18 from which  
     a W. Oak 14 in. dia. bears S 43 W 34 W. dist. X  
     a Hickory 14 " " " N 58 E 38 " "  
     Sand level & wet. Timber Oak, Hickory, Ash &c.  
     very few P. Oak, Maple &c.

East with Randam between Sect. 8 & 17.

- 40.00 Set temp. g. sec. post.  
 48.50 a stream 20 W. wide Crossed N.  
 75.00 a Do 20 " " " N.

T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.

80.30 Intersect N & S. line 110 W. S. of post.  
Land level 2<sup>nd</sup> rate. Timber Beech. Oak. Ash &c.

West Between Secs. 8 & 17.

26.39 at Beech 18 in. dia.

40.15 Set g. sec. post at average dist. from which  
at Beech 20 in. dia. bears N 56° W 55 W. dist. 4  
a Do 26 " " " N 46° E 28 " "

69.30 at Oak 12 " "

80.30 To sec. corner.

West Between Secs. 7 & 18.

23.22 at B. Oak 38 in. dia.

40.00 Set g. sec. post from which  
at W. Oak 6 in. dia. bears S 35° W 9 W. dist. 4  
at Hickory 30 " " " N 15° E 13 " "

64.50 Enter a B. Oak Swamp.

70.50 at W. Oak 36 in. dia.

73.50 Leave the Swamp.

80.50 Intersect N. Bound. line 233 W. S. of post.  
when set post con. to Secs. 7 & 18 from which  
an Ironwood 4 in. dia. bears N 22½° W 52 W. dist. 4  
a Sugar 7 " " " S 25° W 5 " "  
Land level 2<sup>nd</sup> rate. Beech Oak. Ash Hickory Spruce.

North Between Secs. 7 & 8.

13.00 at W. Elm 24 in. dia.

40.00 Set g. sec. post from which  
at B. Oak 8 in. dia. bears S 30° E 24 W. dist. 4  
a Do 8 " " " N 30° W 34 " "

66.95 at Hickory 18 " "

80.00 Set post con. to Secs. 5, 6, 7 & 8 from which  
at B. Oak 18 in. dia. bears S 56° E 33 W. dist. 4  
at Beech 12 " " " N 83° W 51 " "

Land level low water. Timber Beech. Oak. Ash  
Hickory. Elm &c. along the P. Ash &c.

23

T 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.

East on Random between Secs. 5 & 8.

40.00 Set temp. g. sec. post.

80.26 Intersect Mt. line 104 W. N. of post.

Land level low river. Timber as before.

West corner between Secs. 5 & 8

7.61 a Hickory 18 in. dia.

40.13 Set g. sec. post at average dist. from which  
a B. Oak 10 in. dia. bears N 58 E 18 W. dist. X  
a B. Oak 10 " " " S 7 W 19 " "

70.76 a Beech 20 " "

80.26 To Sec. corner.

West between Secs. 6 & 7.

13.83 a Beech 18 in. dia.

40.00 Set g. sec. post from which  
a Beech 22 in. dia. bears S 30 E 20 W. dist. X  
a W. Oak 18 " " " N 27 E 24 " "

65.00 a Spring corner N.

73.41 a W. Oak 50 in. dia.

82.00 Intersect N. Bound. line 370 W. S. of post.  
where set post cor. to Secs. 6 & 7 from which.

a B. Oak 36 in. dia. bears S 51 E 7 W. dist. X

a Beech 12 " " " N 40 W 54 " "

Land level 2<sup>nd</sup> rate. Timber Beech, Sugar, Ash,  
Elm, Oak, Hickory &c. unto Ironwood, Spruce &c.

North between Secs. 5 & 6.

15.00 a W. Oak 14 in. dia.

40.00 Set g. sec. post from which  
a B. Oak 14 in. dia. bears S 38 W 20 W. dist. X  
a Bm Oak 12 " " " N 58 E 15 " "

65.00 a Stream 50 W. end corner E. deep & gentle.

69.00 a Hickory 12 in. dia.

79.60 Intersect N. Bound. line 536 W. E. of post  
where set post cor. to Secs. 5 & 6 from which



T. 25 N. - R. 10 E. 2<sup>nd</sup> Mo. Indiana.

at Beech 18 in. dia. brass 1526 10 lb. dist. of  
 a Do 20 " " " 1537 53 " "  
 1<sup>st</sup> 1/2 mile level & rest 1 1/2 mile moderately rolling  
 2<sup>nd</sup> rate. Timber Beech Oak Ash Elm &c.  
 with the Spruce. Ironwood &c.

May 22<sup>nd</sup> 1823 -

Meanders of Salamander River -  
 Beginning at post on N.E. bank in East  
 Boundary line, thence down stream.

Courses	Distances	Remarks -
N 73 W	11.00	In Sec. 13.
N 71 W	10.50	
S 36 W	6.50	Small bottoms.
N 84 W	15.00	10.00 a stream 20 lb. wide -
N 67 W	9.00	Lean bottoms
S 83 W	11.50	(Went close at all)
N 71 W	15.00	
N 87 1/2 W	11.50	To post in line of Sec. 13 & 14 -

N 39 W	4.50	In Sec. 14.
N 4 E	9.50	
N 11 E	4.00	
N 37 W	19.00	
N 87 W	18.50	
N 4 W	7.00	
N 25 E	8.50	
N 65 E	6.50	
N 15 E	8.00	
N 16 W	15.54	To post in line of Sec. 11 & 14 -

N 16 W	4.46	In Sec. 11 -
N 30 W	8.50	
N 44 W	13.50	
N 35 W	12.50	
N 55 W	6.00	

x x x  
 taken 26

T 25 N. 7 E. 10 E. 2<sup>nd</sup> Mer. Indiana.

25

N 41 W 4.00  
 N 26 W 3.00  
 N 64 E 2.00  
 S 56 E 5.00  
 N 66 E 4.00  
 N 16 W 5.00  
 N 34 W 5.00  
 N 60 W 6.00  
 S 86 W 6.00  
 N 70 W 15.00  
 N 62 1/4 W 3.84

2.00 at Brook 10 W. L. wide.

.53 a Spring branch 5 W. L. wide.

To post in line of Sect. 10 & 11.

N 69 W 8.50  
 S 82 1/2 W 24.50  
 N 52 W 3.00  
 N 20 W 7.50  
 N 58 W 8.00  
 S 49 W 5.00  
 S 23 W 8.50  
 S 31 W 8.00  
 N 65 W 5.00  
 N 62 W 8.00  
 West 4.00  
 N 52 W 4.50  
 N 35 W 4.50  
 N 64 1/2 W 4.29

5.00 at Brook 10 W. L. wide In Sec. 10

Oct. 28<sup>th</sup> 1823 -

To post in line of Sect. 9 & 10.

N 74 W 14.00  
 N 24 W 10.00  
 N 61 W 2.50  
 N 16 W 3.80

In Sec. 9.

To post in line of Sect. 4 & 9.

N 6 W 5.00  
 N 3 1/2 W 11.00  
 N 29 W 10.00  
 N 51 W 13.50

In Sec. 4.

# *T. 25 N. - R. 10 E. T<sup>2</sup> Sec. Indiana.*

N30W 5.00  
 N53 E 10.00  
 N4 E 6.00  
 N21W 5.00  
 N40W 10.00  
 West 6.50  
 N77W 6.00  
 S72W 5.00  
 S53W 5.00  
 S22 E 7.00  
 S51 E 12.00  
 S23W 2.00  
 N85W 10.00  
 N70W 10.00  
 N15W 7.00  
 N14 E 4.50  
 N19 E 7.00  
 N4 E 15.30

*Bottom*

*Oct. 30<sup>th</sup> 1823*

*To post in North Boundary line.*

*Meanders of S. W. bank, from  
Post in North Boundary line,  
thence up stream.*

*In Sec. 4.*

*5.00 Rise high banks.*

N4W 18.00  
 S21W 9.00  
 S13 E 7.00  
 S42 E 5.00  
 S77 E 17.00  
 N68 E 6.00  
 N5 E 5.00  
 N46W 15.00  
 N37 E 4.00  
 East 7.00  
 S77 E 9.00  
 S38 E 8.00  
 S4 E 6.00  
 S45W 11.00

*Center bottom.*

*XL  
to Sec. 25*

27

T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

\$198	6.00	
\$508	16.50	
\$198	11.00	
South	5.00	
\$108	5.86	To post in line of sec. 4 & 9 -
\$128	5.00	In sec. 9.
\$568	4.00	Small prairie
\$208	3.50	
\$318	7.00	
\$728	12.00	
\$878	2.76	To post in line of sec. 9 & 10.
\$598	4.00	In sec. 10.
\$418	6.00	
\$738	14.00	.75 a stream 20 ft. wide.
\$588	8.00	
\$298	18.00	
\$638	4.00	
\$278	11.00	
\$708	9.00	at 8.00 a stream 5 ft. wide.
\$558	6.50	
\$838	14.00	
\$688	5.00	
\$728	2.91	To post in line of sec. 10 & 11.
\$628	14.00	In sec. 11.
\$878	13.00	
\$438	6.00	
South	4.00	
\$6077	7.00	
\$4777	5.00	
\$328	10.00	
\$52½8	8.50	
\$288	5.00	
\$418	5.00	



*T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.*

138 E 20.00

125 E 3.88

To post in line of Sec. 11 & 14.

111 E 7.00

130 W 5.00

153 W 9.00

17 W 10.00

154 E 10.00

189 E 14.00

141 E 10.00

129 E 7.00

South 8.50

112 E 7.50

172 E 5.60

In Sec. 14.

Rise high banks -

2.00 Swamp or inundated Prairie

5.00 Creek 50 ft. wide, deep.

To post in line of Sec. 13 & 14.

169 E 5.00

188 E 10.00

175 E 22.00

186 E 8.00

177 E 11.00

164 E 18.00

175 E 6.00

117 E 4.50

140 E 2.63

In Sec. 13 -

(Not close at all)

To post in East Boundary line.

Surveyed in 1823 by  
Thos. L. Noble D.C.

The following notes were found appended to  
the meandus of T. 26 N. R. 10 E -  
South on Range line between Ranges 10 & 11 East  
Town 25 North & between Secs. 13 & 18.  
29.40 from 1/2 mile post. Set post on bank of the  
Salamanis River from which  
a N. Oak 8 in. dia. bears N 52 E 27 1/2 W. dist. 8  
a Do 24 " " " " 149 W 60 " "

T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana. 29

at  
1.70 North of Co. to sec. 13 & 24 set post on  
S. side of River in Range line between  
Ranges 10 & 11 from which  
a W. Elm 26 in. dia. bears S 12 E 36 W. dist. 1/2  
an Ash 20 " " " N 70 W 18 " "

---

I certify that the foregoing transcript  
of the field notes of Township 25 North,  
in Range 10 East of the 2<sup>nd</sup> Meridian  
in Indiana, has been compared with  
the original in this office, and found  
to be correct.

Surveyor General's Office  
Cincinnati June 27<sup>th</sup> 1843

William Johnston  
Per Clerk.